

CD7 Antibody, anti-human, PE

Order no. 130-123-247 100 tests in 200 µL

One test corresponds to labeling of 10^6 cells in a final volume of $100 \, \mu L$ (applies only to flow cytometry).

For research use only

Product format Reagents are supplied in buffer containing stabilizer and 0.05% sodium azide.

Storage Store protected from light at 2–8 °C. Do not freeze.

Clone CD7-6B7
Clonality monoclonal
Isotype mouse IgG2ak

Isotype control Isotype Control Antibody, mouse IgG2a

Host mouse

Type of antibody Primary antibodies

Species reactivity human
Antigen CD7

Alternative names of antigen GP40, Leu-9, TP41, Tp40

Molecular mass of antigen [kDa] 23

Distribution of antigen NK cells, T cells, stem cells, other

Applications

Flow cytometry

Dilution: 1:50

Cells should be stained prior to fixation, if formaldehyde is used as a fixative.

Data source: Miltenyi Biotec (Quality Control)

Protocol: Cell surface flow cytometry staining protocol (PBS/EDTA/BSA 1:50)

MICS (MACSima Imaging Cyclic Staining)

Dilution: 1:50 Fixation: PFA

Data source: Miltenyi Biotec (tested during development)

Compatible applications: IF, IHC, ICC

Protocol: <u>Protocol for MACSima™ Imaging Cyclic Staining</u>

MICS (MACSima Imaging Cyclic Staining)

Dilution: 1:50 Fixation: Acetone

Data source: Miltenyi Biotec (tested during development)

Compatible applications: IF, IHC

Protocol: <u>Protocol for MACSima™ Imaging Cyclic Staining</u>

Legal notices

Limited product warranty

Miltenyi Biotec B.V. & Co. KG and/or its affiliate(s) warrant this product to be free from material defects in workmanship and materials and to conform substantially with Miltenyi Biotec's published specifications for the product at the time of order, under normal use and conditions in accordance with its applicable documentation, for a period beginning on the date of delivery of the product by Miltenyi Biotec or its authorized distributor and ending on the expiration date of the product's applicable shelf life stated on the product label, packaging or documentation (as applicable) or, in the absence thereof, ONE (1) YEAR from date of delivery ("Product Warranty"). Miltenyi Bioteo's Product Warranty is provided subject to the warranty terms as set forth in Miltenyi Biotec's General Terms and Conditions for the Sale of Products and Services available on Miltenyi Biotec's website at www.miltenyibiotec.com, as in effect at the time of order ("Product Warranty"). Additional terms may apply. BY USE OF THIS PRODUCT, THE CUSTOMER AGREES TO BE BOUND BY THESE TERMS

THE CUSTOMER IS SOLELY RESPONSIBLE FOR DETERMINING IF A PRODUCT IS SUITABLE FOR CUSTOMER'S PARTICULAR PURPOSE AND APPLICATION METHODS.

Technical information

The technical information, data, protocols, and other statements provided by Miltenyi Biotec in this document are based on information, tests, or experience which Miltenyi Biotec believes to be reliable, but the accuracy or completeness of such information is not guaranteed. Such technical information and data are intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. Miltenyi Biotec shall not be liable for any technical or editorial errors or omissions contained herein.

All information and specifications are subject to change without prior notice. Please contact Miltenyi Biotec Technical Support or visit www.miltenyibiotec.com for the most up-to-date information on Miltenyi Biotec products.

Licenses

This product and/or its use may be covered by one or more pending or issued patents and/or may have certain limitations. Certain uses may be excluded by separate terms and conditions. Please contact your local Miltenyi Biotec representative or visit Miltenyi Biotec's website at www.miltenyibiotec.com for more information.

The purchase of this product conveys to the customer the non-transferable right to use the purchased amount of the product in research conducted by the customer (whether the customer is an academic or for-profit entity). This product may not be further sold. Additional terms and conditions (including

the terms of a Limited Use Label License) may apply.

CUSTOMER'S USE OF THIS PRODUCT MAY REQUIRE ADDITIONAL LICENSES DEPENDING ON THE SPECIFIC APPLICATION.

THE CUSTOMER IS SOLELY RESPONSIBLE FOR DETERMINING FOR ITSELF WHETHER IT HAS ALL APPROPRIATE LICENSES IN PLACE.

Miltenyi Biotec provides no warranty that customer's use of this product does not and will not infringe intellectual property rights owned by a third party.

BY USE OF THIS PRODUCT, THE CUSTOMER AGREES TO BE BOUND BY THESE TERMS.

MACS, MACSQuant, MACSima, the Miltenyi Biotec logo, REAdye_lease, REAfinity, REAlease, Vio, VioBlue, and VioGreen are either trademarks or registered trademarks of Miltenyi Biotec B.V. & Co. KG and/or its affiliates in various countries worldwide.

Miltenyi Biotec B.V. & Co. KG | Friedrich-Ebert-Straße 68 | 51429 Bergisch Gladbach | Germany Phone +49 2204 8306-0 | Fax +49 2204 85197 | macsde@miltenyi.com | www.miltenyibiotec.com

Miltenyi Biotec provides products and services worldwide. Visit www.miltenyibiotec.com for local Miltenyi Biotec contact information.

Unless otherwise specifically indicated, Miltenyi Biotec products and services are for research use only and not for therapeutic or diagnostic use. Copyright © 2025 Miltenyi Biotec and/or its affiliates. All rights reserved.