Miltenyi Biotec

StemMACS™ NeuroD1 mRNA
human

Order no. 130-104-382

Contents

1. Description
   - 1.1 Principle
   - 1.2 Background information
   - 1.2 Applications
2. Protocol: Dissolving of lyophilizate

1. Description

Components	**20 µg StemMACS™ NeuroD1 mRNA** encoding the transcription factor NeuroD1 (Entrez Gene ID 4760) **1 mL Double-distilled Water,** RNase-free
Specifications	*In vitro* transcribed, polyadenylated and capped mRNA that has been modified with pseudouridine and 5-methyl-cytidine to reduce the innate antiviral response to single-stranded RNA.
Formulation	Lyophilized from a filtered (0.2 µm) solution.
Storage	Store the lyophilized product at –20 °C. The expiration date is indicated on the label. After reconstitution, the product can be stored at –70 °C for up to 3 month.
Quality control	mRNA size has been verified on an Agilent Bioanalyzer System. NeuroD1 protein expression after transfection was confirmed by immunofluorescence.

1.1 Principle

The transient expression of key developmental regulators, recombinases or markers via mRNA transfection is a powerful tool for modulating cell fate. StemMACS mRNAs are highly pure, *in vitro*-transcribed mRNAs that have been carefully optimized and validated to ensure high level expression after transfection.

1.2 Background information

NeuroD1 is a member of the basic helix-loop-helix (bHLH) family of transcription factors. It forms heterodimers with other bHLH proteins and activates transcription by binding to the E-box motif. NeuroD1 is a regulator of insulin expression. In pluripotent stem cell research, ectopic expression of NeuroD1 has been used to induce neuronal differentiation.

1.3 Applications

- Neuronal differentiation of pluripotent stem cells.

2. Protocol: Reconstitution of lyophilizate

▲ RNA is susceptible to degradation by exogenous ribonucleases. Wear gloves, use RNase-free reagents, tubes, and pipette tips.

1. Dissolve StemMACS NeuroD1 mRNA in 200 µL of Double-distilled Water. Vortex thoroughly. The final concentration will be 0.1 µg/µL.
2. Briefly centrifuge to collect the content at the bottom of the tube.
3. Prepare aliquots and store at –70 °C to –80 °C. Do not subject aliquots to more than two freeze-thaw cycles.

For satisfactory transfection results, use a protocol that is optimized for your specific cell type. StemMACS™ eGFP mRNA or StemMACS™ Nuclear eGFP mRNA allow easy evaluation of transfection efficiency and are recommended as positive controls.

Refer to **www.miltenyibiotec.com** for all data sheets and protocols. Miltenyi Biotec provides technical support worldwide. Visit www.miltenyibiotec.com/local to find your nearest Miltenyi Biotec contact.

Miltenyi Biotec B.V. & Co. KG
Friedrich-Ebert-Straße 68, 51429 Bergisch Gladbach, Germany
Phone +49 2204 8306-0, Fax +49 2204 85197
macsde@miltenyi.com
www.miltenyibiotec.com

Legal notices

Limited product warranty

Miltenyi Biotec B.V. & Co. KG and/or its affiliate(s) warrant this product to be free from material defects in workmanship and materials and to conform substantially with Miltenyi Biotec's published specifications for the product at the time of order, under normal use and conditions in accordance with its applicable documentation, for a period beginning on the date of delivery of the product by Miltenyi Biotec or its authorized distributor and ending on the expiration date of the product's applicable shelf life stated on the product label, packaging or documentation (as applicable) or, in the absence thereof, ONE (1) YEAR from date of delivery ("Product Warranty"). Miltenyi Biotec's Product Warranty is provided subject to the warranty terms as set forth in Miltenyi Biotec's General Terms and Conditions for the Sale of Products and Services available on Miltenyi Biotec's website at www.miltenyibiotec.com, as in effect at the time of order ("Product Warranty"). Additional terms may apply. BY USE OF THIS PRODUCT, THE CUSTOMER AGREES TO BE BOUND BY THESE TERMS. THE CUSTOMER IS SOLELY RESPONSIBLE FOR DETERMINING IF A PRODUCT IS SUITABLE FOR CUSTOMER'S PARTICULAR PURPOSE AND APPLICATION METHODS.

Technical information

The technical information, data, protocols, and other statements provided by Miltenyi Biotec in this document are based on information, tests, or experience which Miltenyi Biotec believes to be reliable, but the accuracy or completeness of such information is not guaranteed. Such technical information and data are intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. Miltenyi Biotec shall not be liable for any technical or editorial errors or omissions contained herein.

All information and specifications are subject to change without prior notice. Please contact Miltenyi Biotec Technical Support or visit www.miltenyibiotec.com for the most up-to-date information on Miltenyi Biotec products.

Licenses

This product and/or its use may be covered by one or more pending or issued patents and/or may have certain limitations. Certain uses may be excluded by separate terms and conditions. Please contact your local Miltenyi Biotec representative or visit Miltenyi Biotec's website at www.miltenyibiotec.com for more information.

The purchase of this product conveys to the customer the non-transferable right to use the purchased amount of the product in research conducted by the customer (whether the customer is an academic or for-profit entity). This product may not be further sold. Additional terms and conditions (including the terms of a Limited Use Label License) may apply.

CUSTOMER'S USE OF THIS PRODUCT MAY REQUIRE ADDITIONAL LICENSES DEPENDING ON THE SPECIFIC APPLICATION. THE CUSTOMER IS SOLELY RESPONSIBLE FOR DETERMINING FOR ITSELF WHETHER IT HAS ALL APPROPRIATE LICENSES IN PLACE. Miltenyi Biotec provides no warranty that customer's use of this product does not and will not infringe intellectual property rights owned by a third party. BY USE OF THIS PRODUCT, THE CUSTOMER AGREES TO BE BOUND BY THESE TERMS.

Trademarks

The Miltenyi Biotec logo and StemMACS are registered trademarks or trademarks of Miltenyi Biotec and/or its affiliates in various countries worldwide.

Copyright © 2020 Miltenyi Biotec and/or its affiliates. All rights reserved.