Miltenyi Biotec

BCR RNA Profiling Kit
human

Order no. 130-140-092

Contents

1. **Description**
   - 1.1 **Background information**
   - 1.2 **Applications**
   - 1.3 **Reagent and instrument requirements**
2. **Protocol**
   - 2.1 **General recommendations to prevent contamination**

1. Description

This product is for research use only.

Components	**BCR RNA Profiling Kit Box 1**:
	52 µL BCR cDNA Synthesis Primers (blue lid label)
	52 µL BCR-H PCR1 Primers (pink lid label)
	52 µL BCR-K/L PCR1 Primers (yellow lid label)
	26 µL BCR-H PCR2 Primers (red lid label)
	26 µL BCR-K/L PCR2 Primers (orange lid label)
	24 rxn RT Master Mix (no lid label)
	3× 600 µL PCR Master Mix (green lid label)
	Immunoprofiling Reagents Box 2:
	2× 1.6 mL Water
	2× 1.6 mL Elution Buffer
	540 µL Lysis Solution
Capacity	For 24 samples.
Storage	Store components of the BCR RNA Profiling Kit Box 1 at –20 °C immediately upon arrival. Store components of the Immunoprofiling Reagents Box 2 at room temperature (+15 to +25 °C). The expiration date is indicated on the vial label.

1.1 Background information

The BCR RNA Profiling Kit, human has been designed for the generation of BCR light- and heavy-chain cDNA libraries using the combination of highly sensitive multiplex PCR and unique molecular identifiers (UMIs). UMIs are introduced along with first strand cDNA synthesis and allow for advanced PCR and sequencing error correction, elimination of PCR biases, quantification of template cDNA molecules, and accurate normalization of samples for comparison of repertoire diversity metrics.

The BCR RNA Profiling Kit, human allows to start with RNA derived from sorted or purified B cells, PBMC, or from B cell–containing tissues, and produces indexed, ready-to-sequence libraries for Illumina®-based sequencing. Furthermore, it is possible to start directly from intact PBMCs or B cells. For optimal, high quality RNA extraction and cell isolation, it is recommend to use the gentleMACS Dissociators. For further cell separation and enrichment of specific cell types from cell suspensions, it is recommended to explore MACS Cell Separation technology. During cDNA library construction, reverse transcription is performed jointly for BCR light- and heavy-chain sequences.

The first PCR (multiplex amplification) is performed separately for BCR light- and heavy-chain repertoires by splitting the cDNA input into two aliquots. Sample barcodes are introduced during the second (indexing) PCR. BCR profiling requires min. 250 × 250 bp paired-end Illumina sequencing, ensuring sufficient reads per UMI sequencing coverage.

For more information and a step-by-step experimental protocol, please refer to the application protocol at **www.miltenyibiotec.com/applicationprotocols**.

1.2 Applications

BCR repertoire analysis to investigate:

- repertoire diversity, development, and maturation,
- identification of clonotypes and biomarkers,
- immune responses to infections, vaccination, cancer, autoimmune diseases, and allergies

1.3 Reagent and instrument requirements

- Thermal cycler
- Bioanalyzer® and/or TapeStation® System (Agilent®)
- Qubit® fluorimeter (Thermo Fisher®)
- Low-speed benchtop mini-centrifuge
- Vortex mixer
- Magnetic separation rack for 0.2 mL PCR tubes
- AMPure® XP Beads (Beckman Coulter®) or SPRIselect® reagent (Beckman Coulter®)
- Illumina® DNA/RNA UD Indexes, Tagmentation (Set A – D)
- Freshly prepared 80% ethanol (1200 µL per sample)
- (For cDNA synthesis directly from cells) Phosphate-buffered saline (PBS)
- (Optional) Peripheral blood mononuclear cell (PBMC) RNA or any other suitable control RNA in case a positive control is desired for the experiment.

Miltenyi Biotec B.V. & Co. KG
Friedrich-Ebert-Straße 68, 51429 Bergisch Gladbach, Germany
Phone +49 2204 8306-0, Fax +49 2204 85197
macsde@miltenyi.com
www.miltenyibiotec.com

140-007-633.01

2. Protocol

The detailed protocol for the kit is available at **www.miltenyibiotec.com/applicationprotocols**.

2.1 General recommendations to prevent contamination

General recommendations to lower the risk of RNA degradation and contamination should be implemented, such as using lab coats, gloves, tips with aerosol filters, certified RNAse/DNAse-free reagents, and decontamination of the workspace before starting to work with RNA.

Performing non-template control reactions is strongly recommended for each experiment. To prevent cross-sample contamination, library preparation should be performed in two physically separated workspaces (PCR boxes): one for pre-PCR and one for post-PCR, located in different rooms. The user should avoid transferring anything (reagents, pipets, racks, etc.) from the post–PCR to the pre–PCR workspace. In the case of possible contamination, use decontaminating procedures with special reagents.

Perform cell isolation, RNA purification, cDNA synthesis, and first and second PCR Master Mix preparations in the pre–PCR workspace. After the 1st PCR amplification, transfer the tubes to the post–PCR workspace and perform all other steps (except PCR Master Mix preparation) in the post–PCR workspace.

Refer to **www.miltenyibiotec.com** for all data sheets and protocols. Miltenyi Biotec provides technical support worldwide. Visit www.miltenyibiotec.com for local Miltenyi Biotec Technical Support contact information.

Legal notices

Limited product warranty

Miltenyi Biotec B.V. & Co. KG and/or its affiliate(s) warrant this product to be free from material defects in workmanship and materials and to conform substantially with Miltenyi Biotec's published specifications for the product at the time of order, under normal use and conditions in accordance with its applicable documentation, for a period beginning on the date of delivery of the product by Miltenyi Biotec or its authorized distributor and ending on the expiration date of the product's applicable shelf life stated on the product label, packaging or documentation (as applicable) or, in the absence thereof, ONE (1) YEAR from date of delivery ("Product Warranty"). Miltenyi Biotec's Product Warranty is provided subject to the warranty terms as set forth in Miltenyi Biotec's General Terms and Conditions for the Sale of Products and Services available on Miltenyi Biotec's website at www.miltenyibiotec.com, as in effect at the time of order ("Product Warranty"). Additional terms may apply. BY USE OF THIS PRODUCT, THE CUSTOMER AGREES TO BE BOUND BY THESE TERMS.

THE CUSTOMER IS SOLELY RESPONSIBLE FOR DETERMINING IF A PRODUCT IS SUITABLE FOR CUSTOMER'S PARTICULAR PURPOSE AND APPLICATION METHODS.

Technical information

The technical information, data, protocols, and other statements provided by Miltenyi Biotec in this document are based on information, tests, or experience which Miltenyi Biotec believes to be reliable, but the accuracy or completeness of such information is not guaranteed. Such technical information and data are intended for persons with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. Miltenyi Biotec shall not be liable for any technical or editorial errors or omissions contained herein.

All information and specifications are subject to change without prior notice. Please contact Miltenyi Biotec Technical Support or visit www.miltenyibiotec.com for the most up-to-date information on Miltenyi Biotec products.

Licenses

This product and/or its use may be covered by one or more pending or issued patents and/or may have certain limitations. Certain uses may be excluded by separate terms and conditions. Please contact your local Miltenyi Biotec representative or visit Miltenyi Biotec's website at www.miltenyibiotec.com for more information.

The purchase of this product conveys to the customer the non-transferable right to use the purchased amount of the product in research conducted by the customer (whether the customer is an academic or for-profit entity). This product may not be further sold. Additional terms and conditions (including the terms of a Limited Use Label License) may apply.

CUSTOMER'S USE OF THIS PRODUCT MAY REQUIRE ADDITIONAL LICENSES DEPENDING ON THE SPECIFIC APPLICATION. THE CUSTOMER IS SOLELY RESPONSIBLE FOR DETERMINING FOR ITSELF WHETHER IT HAS ALL APPROPRIATE LICENSES IN PLACE. Miltenyi Biotec provides no warranty that customer's use of this product does not and will not infringe intellectual property rights owned by a third party. BY USE OF THIS PRODUCT, THE CUSTOMER AGREES TO BE BOUND BY THESE TERMS.

Trademarks

MACS and the Miltenyi Biotec logo are registered trademarks or trademarks of Miltenyi Biotec B.V. & Co. KG and/or its affiliates in various countries worldwide. All other trademarks mentioned in this publication are the property of their respective owners and are used for identification purposes only.

Copyright © 2025 Miltenyi Biotec and/or its affiliates. All rights reserved.